Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	load near3 balanc$3 same (disconnect$4 fail$5) same (connect$4 alive) same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:44
L2	0	load near2 balanc$3 same fail$5 same neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:45
L3	0	load near3 balanc$3 same fail$5 same neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:46
L4	0	load near3 balanc$3 same fail$5 same (neighbor$4 and ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:46
L5	16	load near3 balanc$3 same fail$5 and (neighbor$4 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:48
L6	0	name near3 server and load near3 balanc$3 same fail$5 and (neighbor$4 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:51
L7	14	server and load near3 balanc$3 same fail$5 and (neighbor$4 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:48
L8	0	server same load near3 balanc$3 same fail$5 and (neighbor$4 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:48
L9	0	name near3 server and load near3 balanc$3 and fail$5 same (neighbor$4 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:52
L10	51	name near3 server and load near3 balanc$3 and fail$5 and neighbor$4 and ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:53

L11	5	name near3 server and load near3 balanc$3 and fail$5 and neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:54
L12	5	name with server and load near3 balanc$3 and fail$5 and neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:56
L13	7	(name near3 server host same (ip near address)) and load near3 balanc$3 and fail$5 and neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:57
L14	0	(name near3 server host same (ip near address)) same load near3 balanc$3 and fail$5 and neighbor$4 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:57
L15	17	(name near3 server host same (ip near address)) same load near3 balanc$3 and fail$5 and ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:57
L16	17	((name near3 server) (host same (ip near address))) same load near3 balanc$3 and fail$5 and ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:58
L17	0	((name near3 server) (host same (ip near address))) same load near3 balanc$3 same fail$5 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:58
L18	0	((name near3 server) (host same (ip near address))) same load near3 balanc$3 same (fail$5 and ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:58
L19	0	((name near3 server) (host same (ip near address))) same load near3 balanc$3 and (fail$5 same ring) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:58
L20	17	((name near3 server) (host same (ip near address))) same load near3 balanc$3 and fail$5 and ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:59

L21	4	(name near3 server) and (ip near address) same load near3 balanc$3 and fail$5 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:00
L22	0	((name near3 server) and (ip near address)) same load near3 balanc$3 and fail$5 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:00
L23	1	((name near3 server) and (ip near address)) and load near3 balanc$3 same fail$5 same ring and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:01
L24	1	((name near3 server) and (ip near address)) and load near3 balanc$3 same fail$5 same (ring neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:01
L25	1	((name near3 server) and (ip near address)) same load near3 balanc$3 and fail$5 same (ring neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:04
L26	1	name same server same ip near address same load near3 balanc$3 and fail$5 same (ring neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:05
L27	1	name same server same ip near address and load near3 balanc$3 same fail$5 same (ring neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:06
L28	1	names same servers same ip near addresses and load near3 balanc$3 same fail$5 same (rings neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:19
L29	1	names same servers same ip near addresses and load near3 balanc$3 same fail$5 same (ring neighbor$4) and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:06

L31	0	("6266335" "5774660" "6128279" "6249801" "6665702" "6718359" "6061349" "6449657" "6182139" "6119087" "6601084" "6223205" "6223205" "6389448" "6178160" "6381627" "6411966" "6760775" "6578066" "5884038" "6205489" "6205477" "6167427" "6154777" "6330605" "6351775" "6424992" "6606643" "6470389" "6185598" "6167438" "6715100" "6070191" "6078943" "6128644" "6754706" "6119143" "6263368" "6272523" "6405252" "6513061" "6724733" "6725253" "6735631" "6023722" "6597956" "6691165" "6205481" "6477543" "6571288").pn. and ip near addresses same names same server same load near3 balanc$3 and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:07
L32	5	("6266335" "5774660" "6128279" "6249801" "6665702" "6718359" "6061349" "6449657" "6182139" "6119087" "6601084" "6223205" "6223205" "6389448" "6178160" "6381627" "6411966" "6760775" "6578066" "5884038" "6205489" "6205477" "6167427" "6154777" "6330605" "6351775" "6424992" "6606643" "6470389" "6185598" "6167438" "6715100" "6070191" "6078943" "6128644" "6754706" "6119143" "6263368" "6272523" "6405252" "6513061" "6724733" "6725253" "6735631" "6023722" "6597956" "6691165" "6205481" "6477543" "6571288").pn. and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:07
L33	3	718/105 and ring and name near server and ip near address and load near balanc$4 and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:24
L34	0	718/105 and ring same fail$4 and name near server and ip near address and load near balanc$4 and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:24
L35	0	718/105 and ring same fail$4 and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:25

L36	1	718/105 and ring same (fail$4 reliab$5) and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:25
L37	2	"718"/$ and ring same (fail$4 reliab$5) and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:25
L38	13	"710"/$ and ring same (fail$4 reliab$5) and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:25
L39	2	"710"/$ and ring same fail$4 and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:27
L40	17	ring same fail$4 and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:30
L41	0	ring same fail$4 and name near server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:27
L42	6	"709"/$ and ring same fail$4 and name near server and ip near address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:27
L43	1	ring same fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:31
L44	82	ring and fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:31
L45	0	"718"/$ and ring and fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:32

L46	49	"709"/$ and ring and fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:32
L47	12	"710"/$ and ring and fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:32
L48	0	718/105 and ring and fail$4 and name same server same ip near address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:32
L49	0	718/105 and ring and fail$4 and name same server same address same translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:33
L50	3	718/105 and ring and fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:15
L51	29	"718"/$ and ring and fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:15
L54	1	"718"/$ and ring same fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17
L55	56	"709"/$ and ring same fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17
L56	15	"710"/$ and ring same fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17
L57	0	718/105 and ring same fail$4 and name and server and address and translat$4 and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17

L58	0	"710"/$ and ring same fail$4 and server and address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17
L59	0	"718"/$ and ring same fail$4 and server and address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:17
L60	4	"709"/$ and ring same fail$4 and server and address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:18
L61	15	ring same fail$4 and server and address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:18
L62	1	"709"/$ and ring same fail$4 and server same address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:18
L63	5	ring same fail$4 and server same address same translat$4 same name and (@ad<"20010413" @rlad<"20010413")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:18